



**VARDAflex Eco CRI90 - 5 M-Rolle
Flex.LEDStrip, 24V, Innen, 6400K**
Article nr.: 82414

flexible LED Strip with self adhesive backside, · for indoor use. · Can be seperated every 100 mm or 7 LEDs · Number of LEDs: 350 · LED pitch: 14.28 mm · beam angle: 120° · CRI: >90 · Lumen per meter: 439 lm · Voltage: 24 V DC · Power per meter: 4,8 W · Lifetime L70B50: >= 36.000 h · energy efficiency class: G · LxWxH in mm: 5.000 x 8 x 2 · Easy installation with solderless connector (optional). · Maximum length per connection: 10 meter. New connectors for greater length. · Delivery contents: 5 meter reel

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094824147
Housing colour	Weiss
Length	5000.00 mm
Width	8.00 mm
Height	2.00 mm
LED colour	W ca. 6400 K
Lightoutput per fixture	2195.00 lm
Lightoutput per LED	6.27 lm
Lamp	Inklusive LED





VARDAflex Eco CRI90 - 5 M-Rolle Flex.LEDStrip, 24V, Innen, 6400K

Article nr.: 82414

TECHNICAL DATA

IP rating	20
Power	24 W
Current mA	1.000 mA
Voltage	24 V
Amount of LED	350
Temperature range	-20 - 45
LED per meter	70
Dimension of segments	100.00 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 90
Lifetime L70B50	36.000 h





VARDAflex Eco CRI90 - 5 M-Rolle
Flex.LEDStrip, 24V, Innen, 6400K
Article nr.: 82414

TECHNICAL DRAWING

