



VARDAflex Eco Plus CRI90 - 5 M-Rolle Flex.LEDStrip, 24V, Innen, 4000K

Article nr.: 82438

flexible LED Strip with self adhesive backside, · for indoor use. · · can be seperated every 5 cm or 6 LEDs · number of LEDs: 600 · LED pitch: 8,33 mm · beam angle: 120° · CRI: >90 · lumen per meter: 764 lm · voltage: 24V DC · power per meter: 9,6 W · lifetime L70B50: >= 36.000 h · energy efficiency class: G · LxWxH in mm: 5.000 x 8 x 2 · · Easy installation with solderless connector (optional). · Maximum length per connection: 10 meter. New connectors for greater length. · Delivery contents: 5 meter roll

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094824383
Housing colour	Weiss
Length	5000.00 mm
Width	8.00 mm
Height	2.00 mm
LED colour	NW ca. 4000 K
Lightoutput per fixture	3820.00 lm
Lightoutput per LED	6.36 lm
Lamp	Inklusive LED





VARDAflex Eco Plus CRI90 - 5 M-Rolle Flex.LEDStrip, 24V, Innen, 4000K

Article nr.: 82438

TECHNICAL DATA

IP rating	20
Power	48 W
Current mA	2.000 mA
Voltage	24 V
Amount of LED	600
Temperature range	-20 - 45
LED per meter	120
Dimension of segments	50.00 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 90
Lifetime L70B50	36.000 h





VARDAflex Eco Plus CRI90 - 5 M-Rolle
Flex.LEDStrip, 24V, Innen, 4000K
Article nr.: 82438

TECHNICAL DRAWING

