




## VARDAflex COB R-to-R Plus - 5 Meter Rolle Flex.LEDStrip, 24V, 10, 5W/m, Innen, 3000K

Article nr.: 84335

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · can be separated every 50 mm or 24 LEDs · number of LEDs: 2400 · LED pitch: 2.08 mm · beam angle: 180° · CRI: >90 · luminous flux per metre: 1015 lm · voltage: 24 V DC · power per metre: 10,5 W · lifespan L70B50: >= 54,000 h · Energy efficiency class: F · LxWxH in mm: 5,000 x 8 x 2.2 · · Easy installation with solderless connector (optional). · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 metre roll with 300 mm connection cable

### TECHNICAL DATA

|                         |                    |
|-------------------------|--------------------|
| Unit Code               | pcs                |
| BAR code                | 4012094843353      |
| Housing colour          | Weiss              |
| Length                  | 5000.00 mm         |
| Width                   | 8.00 mm            |
| Height                  | 2.20 mm            |
| LED colour              | ca. 3000K warmweiß |
| Lightoutput per fixture | 5075.00 lm         |
| Lightoutput per LED     | 2.11 lm            |
| Lamp                    | including LED      |





## VARDAflex COB R-to-R Plus - 5 Meter

Rolle Flex.LEDStrip, 24V, 10, 5W/m,  
Innen, 3000K

Article nr.: 84335

### TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| IP rating               | 20          |
| Power                   | 52,5 W      |
| Psb                     | 0,00 W      |
| Current mA              | 2187 mA     |
| Voltage                 | 24 V        |
| Amount of LED           | 2400        |
| Temperature range       | -20 - 40    |
| LED per meter           | 480         |
| Dimension of segments   | 50.00 mm    |
| Energy efficiency class | EEK-Label_F |
| CRI                     | ≥ 90        |
| Lifetime L70B50         | 54.000 h    |
| Lifetime L90B10         | 20.000 h    |
| Suitable light source   |             |





**VARDAflex COB R-to-R Plus - 5 Meter**  
**Rolle Flex.LEDStrip, 24V, 10, 5W/m,**  
**Innen, 3000K**  
Article nr.: 84335

## TECHNICAL DRAWING

