



VARDAflex COB Plus Profi - 5 Meter


Rolle Flex.LEDStrip, 24V, 14, 4W/m, Innen, 2700K

Article nr.: 84377

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · can be separated every 45.45 mm or 24 LEDs · number of LEDs: 2640 · LED pitch: 1,89 mm · beam angle: 180° · CRI: >80 · luminous flux per metre: 1570 lm · voltage: 24 V DC · power per metre: 14.4 W · lifespan L70B50: >= 54,000 h · Energy efficiency class: F · LxWxH in mm: 5,000 x 10 x 2.3 · · Easy installation with solderless connector (optional). · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 metre roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094843773
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	2.30 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	7850.00 lm
Lightoutput per LED	2.97 lm
Lamp	including LED






VARDAflex COB Plus Profi - 5 Meter Rolle Flex.LEDStrip, 24V, 14, 4W/m, Innen, 2700K

Article nr.: 84377

TECHNICAL DATA

IP rating	20
Power	72 W
Psb	0,00 W
Current mA	3000 mA
Voltage	24 V
Amount of LED	2640
Temperature range	-20 - 45
LED per meter	528
Dimension of segments	45.45 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	54.000 h
Lifetime L90B10	20.000 h
Suitable light source	





VARDAflex COB Plus Profi - 5 Meter
Rolle Flex.LEDStrip, 24V, 14, 4W/m,
Innen, 2700K
Article nr.: 84377

TECHNICAL DRAWING

