





VARDAflex Eco COB - 5 Meter Rolle Flex.LEDStrip, 24V, 4, 8W/m, Innen, 2700K

Article nr.: 84417

flexible LED Strip with self adhesive backside · for indoor use, IP20 · · can be separated every 100 mm or 32 LEDs · number of LEDs: 1600 · LED pitch: 3.13 mm · Beam angle: 180° · CRI: >90 · Lumen per meter: 515 lm · Voltage: 24 V DC · Power per meter: 4.8 W · Lifespan L70B50: >= 54.000 h · energy efficiency class: F · LxWxH in mm: 5,000 x 8 x 1.9 · · Maximum length per connection: 5 metre. New connectors for greater length. · Delivery contents: 5 metre roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094844176
Length	5000.00 mm
Width	8.00 mm
Height	1.90 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	2575.00 lm
Lightoutput per LED	1.61 lm
Lamp	including LED
IP rating	20






VARDAflex Eco COB - 5 Meter Rolle


Flex.LEDStrip, 24V, 4, 8W/m, Innen, 2700K

Article nr.: 84417

TECHNICAL DATA

Power	24 W
Psb	0,00 W
Current mA	1000 mA
Voltage	24 V
Amount of LED	1600
Temperature range	-20 - 45
LED per meter	320
Dimension of segments	100.00 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	54.000 h
Lifetime L90B10	20.000 h
Suitable light source	





VARDAflex Eco COB - 5 Meter Rolle
Flex.LEDStrip, 24V, 4, 8W/m, Innen,
2700K

Article nr.: 84417

TECHNICAL DRAWING

