




VARDAflex Slim WW 10W 5M-R.
Flex.LEDStrip, 24V, Innen, 3000K CRI90
Article nr.: 84605

flexible LED Strip with self adhesive backside, · for indoor use. · can be separated every 5 cm or 7 LEDs · number of LEDs: 700 · LED pitch: 7.14 mm · beam angle: 120° · CRI: >90 · lumen per meter: 927 lm · voltage: 24V DC · power per meter: 10 W · lifetime L70B50: >= 60.000 h · energy efficiency class: F · LxWxH in mm: 5.000 x 3.5 x 1.2 · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 metre roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094846057
Housing colour	Weiss
Length	5000.00 mm
Width	3.50 mm
Height	1.20 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	4635.00 lm
Lightoutput per LED	6.62 lm
Lamp	including LED





VARDAflex Slim WW 10W 5M-R.
Flex.LEDStrip, 24V, Innen, 3000K CRI90
Article nr.: 84605

TECHNICAL DATA

IP rating	20
Power	50 W
Psb	0,00 W
Current mA	2083 mA
Voltage	24 V
Amount of LED	700
Temperature range	-20 - 45
LED per meter	140
Dimension of segments	50.00 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	60.000 h
Lifetime L90B10	28.000 h
Suitable light source	





VARDAflex Slim WW 10W 5M-R.
Flex.LEDStrip, 24V, Innen, 3000K CRI90
Article nr.: 84605

TECHNICAL DRAWING

