rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



VARDAflex Slim Bronze 10W 5M-R. Flex.LEDStrip, 24V, Innen, 2400K CRI90

Article nr.: 84607

flexible LED Strip with self adhesive backside, · for indoor use. · · Can be seperated every 5 cm or 7 LEDs · Number of LEDs: 700 · LED pitch: 7.14 mm · beam angle: 120° · CRI: >90 · Lumen per meter: 899 lm · Voltage: 24V DC · Power per meter: 10 W · Lifetime L70B50: >= 60.000h · energy efficiency class: G · LxWxH in mm: 5.000 x 3.5 x 1.2 · · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll · · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094846071
Housing colour	Weiss
Length	5000.00 mm
Width	3.50 mm
Height	1.20 mm
LED colour	ca. 2400K ultra warmweiß
Lightoutput per fixture	4495.00 lm
Lightoutput per LED	6.42 lm
Lamp	including LED

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE




VARDAflex Slim Bronze 10W 5M-R. Flex.LEDStrip, 24V, Innen, 2400K CRI90

Article nr.: 84607

TECHNICAL DATA

IP rating	20
Power	50 W
Current mA	2083 mA
Voltage	24 V
Amount of LED	700
Temperature range	-20 - 45
LED per meter	140
Dimension of segments	50.00 mm
Energy ffficiency class	EEK-Label_G
CRI	≥ 90
Lifetime L70B50	60.000 h
Suitable light source	



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE

Secondlife-Shop

VARDAflex Slim Bronze 10W 5M-R. Flex.LEDStrip, 24V, Innen, 2400K CRI90

Article nr.: 84607

TECHNICAL DRAWING

