rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



VARDAflex COB Plus - 5 Meter Rolle Flex.LEDStrip, 24V, Innen, 2700K

Article nr.: 86337

flexible LED Strip with self adhesive backside · for indoor use, IP20 · · Can be seperated every 62,5 mm or 32 LEDs · Number of LEDs: 2560 · LED pitch: 1.95 mm · Beam angle: 180° · CRI: >90 · Lumen per meter: 900 lm · Voltage: 24 V DC · Power per meter: 10 W · Lifespan L70B50: >= 50.000 h · energy efficiency class: G · LxWxH in mm: 5.000 x 8 x 2 · Maximum length per connection: 5 metre. New connectors for greater length. · Delivery contents: 5 meter reel with 150 mm connecting cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094863375
Housing colour	sonstige
Length	5000.00 mm
Width	8.00 mm
Height	2.00 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	4500.00 lm
Lightoutput per LED	1.76 lm
Lamp	Inklusive LED



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



VARDAflex COB Plus - 5 Meter Rolle Flex.LEDStrip, 24V, Innen, 2700K

Article nr.: 86337

TECHNICAL DATA

IP rating	20
Power	50 W
Current mA	2.050 mA
Voltage	24 V
Amount of LED	2560
Temperature range	-25 - 60
LED per meter	512
Dimension of segments	62.50 mm
Energy ffficiency class	EEK-Label_G
CRI	≥ 90
Lifetime L70B50	67.000 h



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



VARDAflex COB Plus - 5 Meter Rolle Flex.LEDStrip, 24V, Innen, 2700K

Article nr.: 86337

TECHNICAL DRAWING

