




**VARDAflex Eco Double CRI90 - 5 M-
Rolle Flex.LEDStrip, 24V, Innen, 4000K**
Article nr.: B82428

flexible LED Strip with self adhesive backside, · for indoor use. · · Can be separated every 50 mm or 7 LEDs · Number of LEDs: 700 · LED pitch: 7.14 mm · beam angle: 120° · CRI: >90 · Lumen per meter: 1647 lm · Voltage: 24V DC · Power per meter: 19.2 W · Lifetime L70: >= 36.000 h · LxWxH in mm: 5.000 x 10 x 1.5 · · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094224282
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	1.50 mm
LED colour	NW ca. 4000 K
Lightoutput per fixture	8235.00 lm
Lightoutput per LED	11.76 lm
Lamp	Inklusive LED






VARDAflex Eco Double CRI90 - 5 M- Rolle Flex.LEDStrip, 24V, Innen, 4000K

Article nr.: B82428

TECHNICAL DATA

IP rating	20
Power	96 W
Current mA	4.000 mA
Voltage	24 V
Amount of LED	700
Temperature range	-20 - 45
LED per meter	140
Dimension of segments	50.00 mm
Energy efficiency class	A+
CRI	≥ 90





**VARDAflex Eco Double CRI90 - 5 M-
Rolle Flex.LEDStrip, 24V, Innen, 4000K**
Article nr.: B82428

TECHNICAL DRAWING

