



**VARDAflex Eco Plus CRI90 - 5 M-Rolle
Flex.LEDStrip, 24V, Innen, 3000K Box**
Article nr.: B82435

flexible LED Strip with self adhesive backside, · for indoor use. · · can be separated every 50 mm or 6 LEDs · number of LEDs: 600 · LED pitch: 8,33 mm · beam angle: 120° · CRI: >90 · lumen per meter: 720 lm · voltage: 24V DC · power per meter: 9,6 W · lifetime L70: >= 36.000 h · LxWxH in mm: 5.000 x 8 x 2 · Easy installation with solderless connector (optional). · Maximum length per connection: 10 meter. New connectors for greater length. · Delivery contents: 5 meter roll

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094224350
Housing colour	Weiss
Length	5000.00 mm
Width	8.00 mm
Height	2.00 mm
LED colour	WW ca. 3000K
Lightoutput per fixture	3600.00 lm
Lightoutput per LED	6.00 lm
Lamp	Inklusive LED






VARDAflex Eco Plus CRI90 - 5 M-Rolle Flex.LEDStrip, 24V, Innen, 3000K Box

Article nr.: B82435

TECHNICAL DATA

IP rating	20
Power	48 W
Current mA	2.000 mA
Voltage	24 V
Amount of LED	600
Temperature range	-20 - 45
LED per meter	120
Dimension of segments	50.00 mm
Energy efficiency class	A
CRI	≥ 90





VARDAflex Eco Plus CRI90 - 5 M-Rolle
Flex.LEDStrip, 24V, Innen, 3000K Box
Article nr.: B82435

TECHNICAL DRAWING

