


**VARDAflex Slim UWW 5M-R.****Flex.LEDStrip, 24V, Innen, 2700K CRI90**

Article nr.: 84603

flexible LED Strip with self adhesive backside, · for indoor use. · can be separated every 5 cm or 7 LEDs · number of LEDs: 700 · LED pitch: 7.14 mm · beam angle: 120° · CRI: >90 · lumen per meter: 918 lm · voltage: 24V DC · power per meter: 10 W · lifetime L70B50: >= 60.000 h · energy efficiency class: F · LxWxH in mm: 5.000 x 3.5 x 1.2 · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094846033
Housing colour	Weiss
Length	5000.00 mm
Width	3.50 mm
Height	1.20 mm
LED colour	ca. 2700 K ultra warmweiß
Lightoutput per fixture	4590.00 lm
Lightoutput per LED	6.56 lm
Lamp	Inklusive LED





VARDAflex Slim UWW 5M-R.

Flex.LEDStrip, 24V, Innen, 2700K CRI90

Article nr.: 84603

TECHNICAL DATA

IP rating	20
Power	50 W
Psb	0,00 W
Current mA	2.083 mA
Voltage	24 V
Amount of LED	700
Temperature range	-20 - 45
LED per meter	140
Dimension of segments	50.00 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	60.000 h





VARDAflex Slim UWW 5M-R.

Flex.LEDStrip, 24V, Innen, 2700K CRI90

Article nr.: 84603

TECHNICAL DRAWING

