




VARDAflex Duo UWW 17W 5M-R.
Flex.LEDStrip, 24V, Innen, 2700K CRI80
Article nr.: 84863

flexible LED Strip with self adhesive backside, · for indoor use. · can be separated every 2.8 cm or 2 LEDs · number of LEDs: 360 · LED pitch: 13.85 mm · beam angle: 120° · CRI: >80 · lumen per meter: 1380 lm · voltage: 24V DC · power per meter: 17 W · lifetime L70: >= 60.000h · LxWxH in mm: 5.000 x 10 x 2,2 · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Easy installation with solderless connector (optional). · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll, 5 power supply connector, 1 direct connector

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094848631
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	2.10 mm
LED colour	ca. 2700 K ultra warmweiß
Lightoutput per fixture	6900.00 lm
Lightoutput per LED	19.16 lm
Lamp	Inklusive LED





VARDAflex Duo UWW 17W 5M-R.
Flex.LEDStrip, 24V, Innen, 2700K CRI80
Article nr.: 84863

TECHNICAL DATA

IP rating	20
Power	85 W
Current mA	3.550 mA
Voltage	24 V
Amount of LED	360
Temperature range	-20 - 45
LED per meter	72
Dimension of segments	28.00 mm
CRI	≥ 80
Lifetime L70B50	60.000 h





VARDAflex Duo UWW 17W 5M-R.
Flex.LEDStrip, 24V, Innen, 2700K CRI80
Article nr.: 84863

TECHNICAL DRAWING

