



VARDAflex COB 48 IC Plus - 25 Meter

**Rolle Flex.LEDStrip, 48V, 9, 3W/m,
Innen, 2700K**

Article nr.: 79497

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · can be separated every 125 mm or 42 LEDs · number of LEDs: 8400 · LED pitch: 2.97 mm · beam angle: 180° · CRI: >90 · luminous flux per meter: 775 lm · voltage: 48V DC · power per meter: 9.3 W · lifespan L70B50: >= 78,000 h · energy efficiency class: G · LxWxH in mm: 25,000 x 10 x 1.9 · · Maximum length per connection: 25 metres. New Connectors for greater length. · Delivery contents: 25 metre roll with 300 mm connection cable · 8% SPECIAL RABTE FOR CLAIM (G/L ACCOUNT 3200) 1 TIME VALID · TEXTBAUSTEIN CAN BE DELETED AFTERWARDS

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094794976
Housing colour	Weiss
Length	25000.00 mm
Width	10.00 mm
Height	1.90 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	19375.00 lm
Lightoutput per LED	2.31 lm
Lamp	including LED






VARDAflex COB 48 IC Plus - 25 Meter

Rolle Flex.LEDStrip, 48V, 9, 3W/m, Innen, 2700K

Article nr.: 79497

TECHNICAL DATA

IP rating	20
Power	232,5 W
Psb	0,00 W
Current mA	4843 mA
Voltage	48 V
Amount of LED	8400
Material	Kunststoff
Temperature range	-20 - 45
LED per meter	336
Dimension of segments	125.00 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 90
Lifetime L70B50	78.000 h
Lifetime L90B10	36.000 h
Suitable light source	





VARDAflex COB 48 IC Plus - 25 Meter
Rolle Flex.LEDStrip, 48V, 9, 3W/m,
Innen, 2700K
Article nr.: 79497

TECHNICAL DRAWING

