



VARDAflex COB RGBW (3000K) - 5


Meter Rolle Flex. LED-Strip, IP20, RGBWW 3000K, COB

Article nr.: 74366

flexible LED Strip with self adhesive backside · for indoor use, IP20 · can be separated every 83.33 mm or 64 LEDs · number of LEDs: 3840 · LED pitch: 1.3 mm · beam angle: 120° · CRI: >90 · luminous flux per meter: 680 lm · voltage: 24 V DC · power per meter: 15 W · lifespan L70B50: >= 50,000 h · energy efficiency class: G · LxWxH in mm: 5,000 x 12 x 2 · caution: Do not operate strip without aluminium profile · and adequate ventilation. · maximum length per connection: 5 metre. New connectors for greater length. · Delivery contents: 5 metre roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094743660
Housing colour	Weiss
Length	5000.00 mm
Width	12.00 mm
Height	2.00 mm
LED colour	RGBW 3000K
Lightoutput per fixture	3400.00 lm
Lightoutput per LED	0.88 lm
Lamp	including LED





VARDAflex COB RGBW (3000K) - 5

Meter Rolle Flex. LED-Strip, IP20, RGBWW 3000K, COB

Article nr.: 74366

TECHNICAL DATA

IP rating	20
Power	75 W
Psb	0,00 W
Current mA	3125 mA
Voltage	24 V
Amount of LED	3840
Temperature range	-20 - 40
LED per meter	768
Dimension of segments	83.33 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 90
Lifetime L70B50	50.000 h
Lifetime L90B10	33.000 h
Suitable light source	





VARDAflex COB RGBW (3000K) - 5

**Meter Rolle Flex. LED-Strip, IP20,
RGBWW 3000K, COB**

Article nr.: 74366

TECHNICAL DRAWING

