




## VARDaflex Plus Profi DTW 5 M- R. Flex.LEDStrip, 24V, Innen, DTW

Article nr.: 79040

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · can be separated every 100 mm or 14 LEDs · number of LEDs: 700 · LED pitch: 14.29 mm · beam angle: 120° · CRI: >80 · lumen per meter: 1317 lm · Light colour: 3000 K - 1900 K (Dim To Warm) · voltage: 24 V DC · power per meter: 13 W · lifetime L70B50: >= 50,000 h · LxWxH in mm: 5,000 x 10 x 1.4 · · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll

### TECHNICAL DATA

|                         |                        |
|-------------------------|------------------------|
| Unit Code               | pcs                    |
| BAR code                | 4012094790404          |
| Housing colour          | sonstige               |
| Length                  | 5000.00 mm             |
| Width                   | 10.00 mm               |
| Height                  | 1.40 mm                |
| LED colour              | 3000-1900K Dim to Warm |
| Lightoutput per fixture | 6585.00 lm             |
| Lightoutput per LED     | 9.41 lm                |
| Lamp                    | Inklusive LED          |






## VARDAflex Plus Profi DTW 5 M- R. Flex.LEDStrip, 24V, Innen, DTW

Article nr.: 79040

### TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| IP rating               | 20          |
| Power                   | 65 W        |
| Psb                     | 0,00 W      |
| Current mA              | 2.708 mA    |
| Voltage                 | 24 V        |
| Amount of LED           | 700         |
| Temperature range       | -20 - 45    |
| LED per meter           | 140         |
| Dimension of segments   | 100.00 mm   |
| Energy efficiency class | EEK-Label_E |
| CRI                     | ≥ 80        |
| Lifetime L70B50         | 50.000 h    |





**VARDAflex Plus Profi DTW 5 M- R.**  
**Flex.LEDStrip, 24V, Innen, DTW**  
Article nr.: 79040

TECHNICAL DRAWING

