



VARDAflex 5 M-Rolle 24V Flex. LED


Leiste, Innen, RGB+WW

Article nr.: 86512

Flexible LED strip fitted out alternatively with RGB and white SMD LEDs, · self-adhesiveback, for indoor use · 9.6W, 60 LED, max. 397 lm per metre · luminous flux 3000K per meter: 198 lm · various light control units with RGBW controller · cuttable every 16.7 cm or 10 LEDs · LED spacing: 16.67 mm · maximum length per connection: 5 metres. · Feed in anew for longer lengths. · Scope of delivery: 5 metre roll with 300 mm connection cable, 5 in-feed connectors, · 1 x direct connector · graded and stored by binning codes · Lifespan L70B50: >= 54.000 hours · Energy efficiencyclass: G

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094865126
Housing colour	ohne
Length	5000.00 mm
Width	12.00 mm
Height	2.60 mm
LED colour	RGBW 3000K
Lightoutput per fixture	1985.00 lm
Lightoutput per LED	6.61 lm
Lamp	including LED






VARDAflex 5 M-Rolle 24V Flex. LED

Leiste, Innen, RGB+WW

Article nr.: 86512

TECHNICAL DATA

IP rating	20
Power	48 W
Psb	0,00 W
Current mA	2000 mA
Voltage	24 V
Amount of LED	300
Temperature range	-20 - 45
LED per meter	60
Dimension of segments	167.00 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 80
Lifetime L70B50	69.000 h
Lifetime L90B10	35.000 h
Suitable light source	





VARDAflex 5 M-Rolle 24V Flex. LED
Leiste, Innen, RGB+WW
Article nr.: 86512

TECHNICAL DRAWING

