**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



# VARDAflex 3inONE-30 - 5 Meter Rolle Flex.LED Strip, 24V, Innen, RGB Box

Article nr.: B86575

flexible LED Strip with self adhesive backside, · for indoor use. · · Can be seperated every 166.7 mm or 5 LEDs · Number of LEDs: 150 · LED pitch: 33.33 mm · beam angle: 120° · CRI: · Lumen per meter: 238 lm · Voltage: 24V DC · Power per meter: 7,2 W · Lifetime L70B50: >= 69.000 h · LxWxH in mm: 5.000 x 10 x 2,2 · · Easy installation with solderless connector (optional) · Maximum length per connection: 10 meter. New connectors for greater length. · Delivery contents: 5 meter roll, 5 power supply connector profi, · 1 direct connector profi

## TECHNICAL DATA

| | |
|---|---|
| Unit Code | pcs |
| BAR code | 4012094225753 |
| Housing colour | Weiss |
| Length | 5000.00 mm |
| Width | 10.00 mm |
| Height | 2.20 mm |
| LED colour | RGB |
| Lightoutput per fixture | 1190.00 lm |
| Lightoutput per LED | 7.93 lm |
| Lamp | including LED |

**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



# VARDAflex 3inONE-30 - 5 Meter Rolle Flex.LED Strip, 24V, Innen, RGB Box

Article nr.: B86575

## TECHNICAL DATA

| | |
|---|---|
| IP rating | 20 |
| Power | 36 W |
| Current mA | 1500 mA |
| Voltage | 24 V |
| Amount of LED | 150 |
| Temperature range | -20 - 45 |
| LED per meter | 30 |
| Dimension of segments | 166.70 mm |
| Lifetime L70B50 | 69.000 h |
| Lifetime L90B10 | 35.000 h |
| Suitable light source | |

**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



# VARDAflex 3inONE-30 - 5 Meter Rolle Flex.LED Strip, 24V, Innen, RGB Box

Article nr.: B86575

## TECHNICAL DRAWING

