




für 8mm LED-Strips, einfarbig Direktverbinder Push Max, IP20

Article nr.: 70128

LxWxH in mm: 19.8 x 10.8 x 6.2 · max. current capacity: 5.5 A (12V/66W, 24V/132W, 48V/264W) ·
Suitable for the following LED strips: · VARDaFlex Eco: 82414, 82415, 82417, 82418 · VARDaFlex Pro
EU: 72005, 72007 · VARDaFlex COB Free-Cut: 84365, 84367, 84368 · VARDaFlex Eco Plus: 82474,
82475, 82477, 82478 · VARDaFlex Pro EU Plus: 72105, 72107 · VARDaFlex COB R-to-R Plus: 84335,
84337, 84338

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094701288
Housing colour	sonstige
Length	19.80 mm
Width	10.80 mm
Height	6.20 mm
Lamp	without
IP rating	20
Current mA	5500 mA
Voltage	3-24 V





für 8mm LED-Strips, einfarbig
Direktverbinder Push Max, IP20

Article nr.: 70128

TECHNICAL DATA


Material

Kunststoff

Temperature range

-10 - 45

Suitable light source





für 8mm LED-Strips, einfarbig
Direktverbinder Push Max, IP20
Article nr.: 70128

TECHNICAL DRAWING

