




für 12mm LED-Strips, RGBW Einspeiser Push Max, IP20

Article nr.: 70150

LxWxH in mm: 19.1 x 14.8 x 6.2 · for cable cross-section: 0.5 sq mm · max. current capacity: 5.5 A (12V/66W, 24V/132W) · Suitable for the following LED strips: · VARDaFlex RGB+WW: 86512 · VARDaFlex 4inONE-60 Reach10: 74403-V2, 74404-V2 · VARDaFlex 4inONE-60: 79542, 79543 · VARDaFlex 4inONE-72: 79552, 79553, 79554 · VARDaFlex 4inONE-84: 79563

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094701509
Housing colour	sonstige
Length	19.10 mm
Width	14.80 mm
Height	6.20 mm
Lamp	without
IP rating	20
Current mA	5500 mA
Voltage	3-24 V





für 12mm LED-Strips, RGBW Einspeiser
Push Max, IP20
Article nr.: 70150

TECHNICAL DATA


Material

Kunststoff

Temperature range

-10 - 45

Suitable light source





für 12mm LED-Strips, RGBW Einspeiser
Push Max, IP20
Article nr.: 70150

TECHNICAL DRAWING

