



für VARDaFlex LED-Strips

Einspeisungsverb. Screw Einf. 10mm IP20

Article nr.: 70221

Feed-in connector for single-colour LED strips 10 mm · with screw contacts for safe contacting · max. current carrying capacity: 6 A (12V/72W, 24V/144W) · LxWxH in mm: 13.4 x 11.5 x 6.5 · for wire cross-section: 0.32 – 1.32 sqmm · suitable for the following LED strips: · VARDaFlex Eco Standard REACH30: 82317, 82318 · VARDaFlex Eco REACH20: 82205-V2, 82207-V2, 82208-V2 · VARDaFlex Eco Plus REACH15: 82215-V2, 82217-V2, 82218-V2 · VARDaFlex Nova Plus: 82861 · VARDaFlex Quantum Plus: 86325, 86327, 86328 · VARDaFlex Plus DTW: 79141 · VARDaFlex Plus Profi DTW: 79040 · VARDaFlex Energy: 79465, 79467

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094702216
Housing colour	farblos
Length	13.40 mm
Width	11.50 mm
Height	6.50 mm
Lamp	without
IP rating	20
Current mA	6000 mA
Voltage	3-24 V





für VARDAflex LED-Strips

**Einspeisungsverb. Screw Einf. 10mm
IP20**

Article nr.: 70221

TECHNICAL DATA

Material

Kunststoff

Temperature range

-10 - 45

Suitable light source





für VARDAflex LED-Strips

Einspeisungsverb. Screw Einf. 10mm
IP20

Article nr.: 70221

TECHNICAL DRAWING

