rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



für VARDAflex LED-Strips Einspeisungsverb. Screw Einf. 8mm IP20

Article nr.: 70224

Feed-in connector for single-colour LED strips 8 mm · with screw contacts for safe contacting · max. current carrying capacity: 6 A (12V/72W, 24V/144W) · LxWxH in mm: 13.4 x 11.5 x 6.5 · for wire cross-section: 0.32 - 1.32 sqmm · suitable for the following LED strips: · VARDAflex 90: 82414, 82415, 82417, 82418 · VARDAflex 90 Plus: 82474, 82475, 82477, 82478 · VARDAflex Nova 90 Plus: 82765, 82768 · VARDAflex Standard: 84315, 84317 · VARDAflex Plus: 86141, 86149, 86439

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094702247
Housing colour	farblos
Length	13.40 mm
Width	11.50 mm
Height	6.50 mm
Lamp	without
IP rating	20
Current mA	6000 mA
Voltage	3-24 V

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



für VARDAflex LED-Strips
Einspeisungsverb. Screw Einf. 8mm IP20

Article nr.: 70224

TECHNICAL DATA

Material	Kunststoff
Temperature range	-10 - 45
Suitable light source	

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



für VARDAflex LED-Strips
Einspeisungsverb. Screw Einf. 8mm IP20

Article nr.: 70224

TECHNICAL DRAWING





