



**für VARDaFlex LED-Strips**  
**Einspeisungsverb. Screw Einf. 8mm IP20**  
Article nr.: 70224

Feed-in connector for single-colour LED strips 8 mm · with screw contacts for safe contacting · max. current carrying capacity: 6 A (12V/72W, 24V/144W) · LxWxH in mm: 13.4 x 11.5 x 6.5 · for wire cross-section: 0.32 - 1.32 sqmm · suitable for the following LED strips: · VARDaFlex Eco: 82414, 82415, 82417, 82418 · VARDaFlex Eco Plus: 82474, 82475, 82477, 82478 · VARDaFlex Nova Eco Plus: 82765, 82768 · VARDaFlex Standard: 84315, 84317 · VARDaFlex Plus: 86141, 86149, 86439

## TECHNICAL DATA

|                |               |
|----------------|---------------|
| Unit Code      | pcs           |
| BAR code       | 4012094702247 |
| Housing colour | farblos       |
| Length         | 13.40 mm      |
| Width          | 11.50 mm      |
| Height         | 6.50 mm       |
| Lamp           | without       |
| IP rating      | 20            |
| Current mA     | 6000 mA       |
| Voltage        | 3-24 V        |





**für VARDAflex LED-Strips**  
**Einspeisungsverb. Screw Einf. 8mm IP20**  
Article nr.: 70224

#### TECHNICAL DATA

Material

Kunststoff

Temperature range

-10 - 45

Suitable light source





**für VARDAflex LED-Strips**  
**Einspeisungsverb. Screw Einf. 8mm IP20**  
Article nr.: 70224

#### TECHNICAL DRAWING

