rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



für VARDAflex LED-Strips Einspeisung Gapless Einfarbig 8mm IP20

Article nr.: 70324

LxWxH in mm: 15.6 x 9.6 x 3.3 · cable 150 mm (2 x 0.5 sq mm) · material: polycarbonate · suitable for following LED strips: · VARDAflex COB Plus: 86332, 86335, 86337, 86338 · VARDAflex COB R-to-R Plus, 84335, 84337, 84338 · VARDAflex 90: 82414, 82415, 82417, 82418 · VARDAflex 90 Plus: 82434, 82435, 82437, 82438, 82474, 82475, 82477, 82478 · VARDAflex Nova 90 Plus: 82763, 82765, 82768 · VARDAflex Nova Double: 79872 · VARDAflex Standard: 84315, 84317 · VARDAflex COB Free-Cut: 84365, 84367, 84368 · only to be used at joints where there is no solder on the contacts. · max. current carrying capacity: 3.5 A (12V/42W, 24V/84W)

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094703244
Housing colour	farblos
Length	15.60 mm
Width	9.60 mm
Height	3.30 mm
Lamp	without
IP rating	20
Current mA	3500 mA
Voltage	3-24 V

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke

TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



für VARDAflex LED-Strips Einspeisung Gapless Einfarbig 8mm IP20

Article nr.: 70324

TECHNICAL DATA

Material	Kunststoff
Temperature range	-10 - 45
Suitable light source	

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



für VARDAflex LED-Strips Einspeisung Gapless Einfarbig 8mm IP20

Article nr.: 70324

TECHNICAL DRAWING

