**rutec LIGHTDESIGN GmbH** | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

# sandgrau, 3000K CALA - 14W IP43 36° 350mA

Article nr.: 42147

for indoor use, IP43 · · Housing: diecast aluminum (glass protection, transparent) · Housing colour: sandgrey · not swivelling · Beam angle: 36° · Power: 14 W · Light colour: 3000 K · Light flux: 1450 lm · CRI: >80 · Lifespan L70B50: >= 50.000 h · Input current: 350 mA DC · protection class III · · Installation depth: 110 mm · Ceiling cut-out: 105 mm · Outer diameter: 116 mm · Energie efficiency class: E · not including LED converter · · SECONDLIFE ITEM -heavily discounted- only while stocks last!

## TECHNICAL DATA

| | |
|---|---|
| Unit Code | pcs |
| BAR code | 4012094421476 |
| Housing colour | Sandgrau |
| Height | 80.00 mm |
| Outer diameter | 116 mm |
| Hole size | 105 mm |
| Depth in ceiling | 110.00 mm |
| LED colour | ca. 3000K warmweiß |
| Lightoutput per fixture | 1450.00 lm |
| Lamp | including LED |

**rutec LIGHTDESIGN GmbH** | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

# sandgrau, 3000K CALA - 14W IP43 36° 350mA

Article nr.: 42147

## TECHNICAL DATA

| | |
|---|---|
| IP rating | 43 |
| Power | 14 W |
| Current mA | 350 mA |
| Lamp base | ohne |
| Amount of LED | 1 |
| Material | Aluminium |
| Temperature range | -20 - 40 |
| Energy ffficiency class | EEK-Label_E |
| CRI | ≥ 80 |
| Lifetime L70B50 | 50.000 h |
| Suitable light source | |

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

# sandgrau, 3000K CALA - 14W IP43 36° 350mA

Article nr.: 42147

## TECHNICAL DRAWING