**rutec LIGHTDESIGN GmbH** | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



# TALAN XL DA285mm, Rund-Panel, Multi-W+Lf, plug&play starr, rund, 16/20/24W, 27/30/4000K, CRI80-weiss, IP44

Article nr.: 48503

for indoor use, IP44 · with switchable light colour and power on the converter · housing: diecast aluminium, PMMA cover matt · housing colour: white · not swiveling · beam angle: 110° · power: 16/20/24 W · light colour: 2700/3000/4000 K · luminous flux: 1630/2050/2390 lm · CRI: >80 · lifespan L70B50: >= 45,000 h · input voltage range: 220-240 V AC, 50/60 Hz · protection class II · · installation depth: 30 mm · ceiling cut out: 285 mm · outer diameter: 300 mm · including constant current converter · with connector for plug-and-play-operation with 380 mm connection cable · tool-free replacement of the lamp · LxWxH constant current converter in mm: 113.5 x 35.5 x 23.5 · this product contains a light source of energy efficiency class E · _Driver MOQ 1000 pcs - please add details about quantity to order with reference _TALAN DRIVER 485X_

## TECHNICAL DATA

| | |
|---|---|
| Unit Code | pcs |
| BAR code | 4012094485034 |
| Housing colour | Weiss |
| Height | 22.50 mm |
| Outer diameter | 300 mm |
| Hole size | 285 mm |
| Depth in ceiling | 30.00 mm |
| LED colour | 2700/3000/4000 K umschaltbar |
| Lightoutput per fixture | 2390.00 lm |
| Lamp | including LED |



**rutec LIGHTDESIGN GmbH** | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



# TALAN XL DA285mm, Rund-Panel, Multi-W+Lf, plug&play starr, rund, 16/20/24W, 27/30/4000K, CRI80-weiss, IP44

Article nr.: 48503

## TECHNICAL DATA

| | |
|---|---|
| IP rating | 44 |
| Power | 16-24 W |
| Psb | 0,00 W |
| Voltage | 220-240 V |
| Material | Aluminium |
| Temperature range | -10 - 40 |
| CRI | ≥ 80 |
| Lifetime L70B50 | 45.000 h |
| Lifetime L90B10 | 36.000 h |
| Suitable light source | |



**rutec LIGHTDESIGN GmbH** | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



# TALAN XL DA285mm, Rund-Panel, Multi-W+Lf, plug&play starr, rund, 16/20/24W, 27/30/4000K, CRI80-weiss, IP44

Article nr.: 48503

## TECHNICAL DRAWING

