




VARDAflex Pro 5 M- R. Flex.LEDStrip, 24V, Innen, 2700K CRI95

Article nr.: 71315

flexible LED Strip with self adhesive backside, · for indoor use. · Can be separated every 33 mm or 7 LEDs · Number of LEDs: 1050 · LED pitch: 4.76 mm · beam angle: 120° · CRI: >95 · Lumen per meter: 551 lm · Voltage: 24V DC · Power per meter: 6 W · Lifetime L70B50: >= 50,000 h · energy efficiency class: F · LxWxH in mm: 5,000 x 10 x 1.1 · · Maximum length per connection: 8 meter. New connectors for greater length. · Delivery contents: 5 meter roll

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094713151
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	1.10 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	2755.00 lm
Lightoutput per LED	2.62 lm
Lamp	including LED






VARDAflex Pro 5 M- R. Flex.LEDStrip, 24V, Innen, 2700K CRI95

Article nr.: 71315

TECHNICAL DATA

IP rating	20
Power	30 W
Current mA	1250 mA
Voltage	24 V
Amount of LED	1050
Temperature range	-20 - 45
LED per meter	210
Dimension of segments	33.00 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 95
Lifetime L70B50	50.000 h
Suitable light source	





VARDAflex Pro 5 M- R. Flex.LEDStrip,
24V, Innen, 2700K CRI95
Article nr.: 71315

TECHNICAL DRAWING

