



VARDAflex Pro EU - 5 Meter Rolle
Flex.LED-Strip, 24V, 5W/m, Innen,
2700K
 Article nr.: 72007

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · can be seperated every 33.33 mm or 6 LEDs · number of LEDs: 900 · LED pitch: 5.55 mm · beam angle: 120° · CRI: >90 · luminous flux per meter: 500 lm · voltage: 24V DC · power per meter: 5 W · lifespan L70B50: >= 50.000 h · energy efficiency class: F · LxWxH in mm: 5.000 x 8 x 1.4 · · Easy installation with solderless connector (optional). · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094720074
Housing colour	Weiss
Length	5000.00 mm
Width	8.00 mm
Height	1.40 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	2500.00 lm
Lightoutput per LED	2.77 lm
Lamp	without






VARDAflex Pro EU - 5 Meter Rolle
Flex.LED-Strip, 24V, 5W/m, Innen,
2700K
 Article nr.: 72007

TECHNICAL DATA

IP rating	20
Power	25 W
Psb	0,00 W
Current mA	1042 mA
Voltage	24 V
Amount of LED	900
Temperature range	-20 - 35
LED per meter	180
Dimension of segments	33.33 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	50.000 h
Lifetime L90B10	36.000 h
Suitable light source	





VARDAflex Pro EU - 5 Meter Rolle
Flex.LED-Strip, 24V, 5W/m, Innen,
2700K
Article nr.: 72007

TECHNICAL DRAWING

