




LD Showcase Spot-framing 2, 3W 24VDC 4000K black

Article nr.: 73302-40

90° angle-adjustable track spotlight for display case lighting, rotatable · power: 2.3 W · light colour: 4000 K · luminous flux: 202 lm · beam angle: 18-35° adjustable · CRI: >90 · lifespan: L70B50: >= 26,000 h · power supply: 24 V DC · protection class III, IP20 · diameter: 23 mm · length: 77 mm · energy efficiency class: F

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835730242
Housing colour	Schwarz
Length	84.00 mm
Outer diameter	23 mm
LED colour	ca. 4000K neutralweiß
Lightoutput per fixture	202.00 lm
Lamp	including LED
IP rating	20
Power	3 W






LD Showcase Spot-framing 2, 3W
24VDC 4000K black
Article nr.: 73302-40

TECHNICAL DATA

Psb	0,00 W
Voltage	24 V
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 45
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	26.000 h
Suitable light source	





LD Showcase Spot-framing 2, 3W
24VDC 4000K black
Article nr.: 73302-40

TECHNICAL DRAWING

