rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

cut-out 8mm LD Showcase lights-spot 1W 300mA 25° 3000K black

Article nr.: 73332-25

90° adjustable spotlight for display case lighting, rotatable · power: 1 W · light colour: 3000 K · luminous flux: 96 lm · beam angle: 25° · CRI: >90 · lifespan L70B50: >= 48,000 h · power supply: 300 mA DC · protection class III, IP20 · diameter: 13 mm · length: 22 mm · installation diameter: 8 mm · installation depth: 22 mm · energy efficiency class: F

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835733229
Housing colour	Schwarz
Length	22.00 mm
Outer diameter	13 mm
Hole size	8 mm
Depth in ceiling	22.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	96.00 lm
Lamp	including LED

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

cut-out 8mm LD Showcase lights-spot 1W 300mA 25° 3000K black

Article nr.: 73332-25

TECHNICAL DATA

IP rating	20
Power	1 W
Psb	0,00 W
Current mA	300 mA
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 45
Energy ffficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	48.000 h
Suitable light source	



rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

cut-out 8mm LD Showcase lights-spot 1W 300mA 25° 3000K black

Article nr.: 73332-25

TECHNICAL DRAWING