




## VARDAflex RGBW Intelligence Ten Side 5M LD Flex.LED-Strip, 24V, Innen, RGBW-3000K

Article nr.: 74869

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · Each individual segment can be programmed · and controlled separately · · can be separated every 100 mm or 12 LEDs · number of LEDs: 600 · IC type: WS2814 A · LED pitch: 16.67 mm · beam angle: 90° · CRI: >90 · luminous flux per meter: 560 lm · luminous flux per meter 3000K: 240 lm · voltage: 24 V DC · power per meter: 15 W · lifespan L70B50: >= 30.000 h · energy efficiency class: G · LxWxH in mm: 5,000 x 12 x 2 · · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll with 300 mm connection cable

### TECHNICAL DATA

|                         |               |
|-------------------------|---------------|
| Unit Code               | pcs           |
| BAR code                | 4012094748696 |
| Length                  | 5000.00 mm    |
| Width                   | 12.00 mm      |
| Height                  | 2.00 mm       |
| LED colour              | RGBW 3000K    |
| Lightoutput per fixture | 2800.00 lm    |
| Lightoutput per LED     | 9.33 lm       |
| Lamp                    | including LED |
| IP rating               | 20            |






## VARDAflex RGBW Intelligence Ten Side 5M LD Flex.LED-Strip, 24V, Innen, RGBW-3000K

Article nr.: 74869

### TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| Power                   | 75 W        |
| Psb                     | 0,3 W       |
| Current mA              | 3125 mA     |
| Voltage                 | 24 V        |
| Amount of LED           | 600         |
| Temperature range       | -20 - 40    |
| LED per meter           | 120         |
| Dimension of segments   | 100.00 mm   |
| Energy efficiency class | EEK-Label_G |
| CRI                     | ≥ 90        |
| Lifetime L70B50         | 30.000 h    |
| Lifetime L90B10         | 10.000 h    |
| Suitable light source   |             |





**VARDAflex RGBW Intelligence Ten Side**  
**5M LD Flex.LED-Strip, 24V, Innen,**  
**RGBW-3000K**  
Article nr.: 74869

## TECHNICAL DRAWING

