**rutec LIGHTDESIGN GmbH** | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



# VARDAflex E Work Light 10M Trommel für Akku Vergossener LED-Strip, 18V, 5, 5W/m, IP65, 4000K, CRI80

Article nr.: 74948

Construction site lighting in LED strip design with battery operation with deep discharge function · for indoor and outdoor use, IP65 · UV-resistant · number of LEDs: 800 · LED pitch: 12.5 mm · beam angle: 90° · CRI: >80 · luminous flux per meter: 730 lm · operating voltage: 18 V battery · power per meter: 5.5 W · energy efficiency class: D · lifetime L70B50: >= 60,000 h · Drum LxWxH in mm: 215 x 215 x 195 · LED strip LxWxH in mm: 10,000 x 12 x 5.7 · · Attention: Only operate LED strip when completely unrolled · Maximum length per connection: 10 meter · Scope of delivery: 10 meter roll wound onto a drum with battery adapter plate for Makita 18V battery · (Battery not included) · Separate accessories available: Item no.: 74940 Adapter plate for DeWalt and Milwaukee 18V battery · Item no.: 74941 Adapter plate for Bosch Professional 18V battery · Item no.: 74942 Adapter plate for CONEL 18V battery · Item no.: 74948LED Replacement LED strip 4000 K · Suitable for use on construction sites in accordance with DGUV-I 203-005,K2 + DGUV-I 203-006

## TECHNICAL DATA

| | |
|---|---|
| Unit Code | pcs |
| BAR code | 4012094749488 |
| Housing colour | Schwarz |
| Length | 215.00 mm |
| Width | 215.00 mm |
| Height | 195.00 mm |
| LED colour | ca. 4000K neutralweiß |
| Lightoutput per fixture | 7300.00 lm |
| Lightoutput per LED | 9.13 lm |
| Lamp | including LED |

**rutec LIGHTDESIGN GmbH** | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



# VARDAflex E Work Light 10M Trommel für Akku Vergossener LED-Strip, 18V, 5, 5W/m, IP65, 4000K, CRI80

Article nr.: 74948

## TECHNICAL DATA

| | |
|---|---|
| IP rating | 65 |
| Power | 55 W |
| Psb | 0,00 W |
| Current mA | 3055 mA |
| Voltage | 18 V |
| Amount of LED | 800 |
| Material | Kunststoff |
| Temperature range | -20 - 45 |
| LED per meter | 80 |
| Dimension of segments | 62.50 mm |
| Energy ffficiency class | EEK-Label_D |
| CRI | ≥ 80 |
| Lifetime L70B50 | 60.000 h |
| Lifetime L90B10 | 18.000 h |
| Suitable light source | |

**rutec LIGHTDESIGN GmbH** | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



# VARDAflex E Work Light 10M Trommel für Akku Vergossener LED-Strip, 18V, 5, 5W/m, IP65, 4000K, CRI80

Article nr.: 74948

## TECHNICAL DRAWING

