



VARDAflex Plus Profi DTW 5 M- R. Flex.LEDStrip, 24V, Innen, DTW

Article nr.: 79040

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · can be seperated every 100 mm or 14 LEDs · number of LEDs: 700 · LED pitch: 14.29 mm · beam angle: 120° · CRI: >80 · lumen per meter: 1317 lm · Light colour: 3000 K - 1900 K (Dim To Warm) · voltage: 24 V DC · power per meter: 13 W · lifetime L70B50: >= 50,000 h · LxWxH in mm: 5,000 x 10 x 1.4 · · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 metre roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094790404
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	1.40 mm
LED colour	3000-1900K Dim to Warm
Lightoutput per fixture	6585.00 lm
Lightoutput per LED	9.41 lm
Lamp	including LED






VARDAflex Plus Profi DTW 5 M- R. Flex.LEDStrip, 24V, Innen, DTW

Article nr.: 79040

TECHNICAL DATA

IP rating	20
Power	65 W
Psb	0,00 W
Current mA	2708 mA
Voltage	24 V
Amount of LED	700
Temperature range	-20 - 45
LED per meter	140
Dimension of segments	100.00 mm
Energy efficiency class	EEK-Label_E
CRI	≥ 80
Lifetime L70B50	50.000 h
Lifetime L90B10	39.000 h
Suitable light source	





VARDAflex Plus Profi DTW 5 M- R.
Flex.LEDStrip, 24V, Innen, DTW
Article nr.: 79040

TECHNICAL DRAWING

