rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

VARDAflex Energy Plus - 5M-Rolle

Flex.LEDStrip, 24V, 8, 8W/m., Innen, 2700K CRI80

Article nr.: 79477

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · can be seperated every 50 mm or 9 LEDs · number of LEDs: 900 · LED pitch: 5.55 mm · beam angle: 120° · CRI: >80 · lumen per meter: 1467 lm · voltage: 24V DC · power per meter: 8.8 W · lifespan L70B50: >= 54,000 h · energy efficiency class: C · LxWxH in mm: 5,000 x 10 x 1.4 · · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 metre roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094794778
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	1.40 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	7335.00 lm
Lightoutput per LED	8.15 lm
Lamp	including LED

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

VARDAflex Energy Plus - 5M-Rolle

Flex.LEDStrip, 24V, 8, 8W/m., Innen, 2700K CRI80

Article nr.: 79477

TECHNICAL DATA

IP rating	20
Power	44 W
Psb	0,00 W
Current mA	1833 mA
Voltage	24 V
Amount of LED	900
Temperature range	-20 - 45
LED per meter	180
Dimension of segments	50.00 mm
Energy ffficiency class	EEK-Label_C
CRI	≥ 80
Lifetime L70B50	54.000 h
Lifetime L90B10	39.000 h
Suitable light source	

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

VARDAflex Energy Plus - 5M-Rolle

Flex.LEDStrip, 24V, 8, 8W/m., Innen, 2700K CRI80

Article nr.: 79477

TECHNICAL DRAWING