rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

VARDAflex Nova Ultra bronze 5M Flex.LEDStrip, 24V, Innen, 2200K CRI90

Article nr.: 79892

flexible LED Strip with self adhesive backside, · for indoor use. · · can be seperated every 2.5 cm or 6 LEDs · number of LEDs: 1200 · LED pitch: 4.17 mm · beam angle: 120° · CRI: >90 · lumen per meter: 1721 lm · voltage: 24V DC · power per meter: 24 W · lifetime L70: >= 36.000 h · LxWxH in mm: 5.000 x 10 x 1.2 · · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll · · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094798929
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	1.20 mm
LED colour	ca. 2200K bronze
Lightoutput per fixture	8605.00 lm
Lightoutput per LED	7.17 lm
Lamp	including LED

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

VARDAflex Nova Ultra bronze 5M Flex.LEDStrip, 24V, Innen, 2200K CRI90

Article nr.: 79892

TECHNICAL DATA

IP rating	20
Power	120 W
Current mA	5000 mA
Voltage	24 V
Amount of LED	1200
Temperature range	-20 - 45
LED per meter	240
Dimension of segments	20.00 mm
CRI	≥ 90
Lifetime L70B50	36.000 h
Suitable light source	

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

VARDAflex Nova Ultra bronze 5M Flex.LEDStrip, 24V, Innen, 2200K CRI90

Article nr.: 79892

TECHNICAL DRAWING