rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

Funksender, steuerbar über externen Taster Funksender 2-Kanal, einfarbig/UP

Article nr.: 80575

the rutec flush-mounted radio transmitter 2-channel has 2 zones for single · colour control · it can be operated with conventional pushbuttons or series pushuttons and can · therefore be integrated into any switch programme · the transmitter can be installed behind the push-button in a switch box with · sufficient space · for indoor use, IP20 · material: plastic · CE, REACH, RoHS · input voltage: 100-240V AC · suitable wire cross-section at push terminals: 0.5 - 1.5 sq mm · range: 30 metres (in clear view) with 70 mm antenna · transmitting frequency: 868 MHz · dimming range: 0.1 - 100% · with memory effect · LxWxH in mm: 49.8 x 43 x 15.5 · independent control of up to 2 zones · dimming and switching of single-coloured luminaires · up to 8 radio transmitter can be stored per radio receiver

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094805757
Housing colour	Weiss
Length	49.80 mm
Width	43.00 mm
Height	15.50 mm
Lamp	without
IP rating	20
Input voltage	100-240
Material	Kunststoff

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

Funksender, steuerbar über externen Taster Funksender 2-Kanal, einfarbig/UP

Article nr.: 80575

TECHNICAL DATA

Temperature range	-20 - 50
Suitable light source	

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

Funksender, steuerbar über externen Taster Funksender 2-Kanal, einfarbig/UP

Article nr.: 80575

TECHNICAL DRAWING