



DALI-2 DT6 für 12/24V einfarbig DALI-2 Push Dimm-Aktor DC

Article nr.: 80710-V2

DALI-2 LED dimmer for digital dimming with soft control behavior · 1 address, 4 channels synchronous · DALI address manually adjustable and visible via digital display · automatically addressable from master · according to DALI standard protocol IEC62386-101, -102, -207 · with push-dim function · IP20 · device type: DT6 · dimming range: 0-100% · protection class III, CE, RoHS, REACH · input: 12-24 V DC · output: 12-24 V DC PWM (1500 Hz) · power: 4x60W (12V DC), 4x120W (24 V DC) · dimensions: 166 x 53.4 x 23 mm · temperature range: -20°C to +50°C

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094808109
Housing colour	Blau
Length	166.00 mm
Width	53.40 mm
Height	23.00 mm
Lamp	without
IP rating	20
Power	240-480 W
Current mA	20000 mA






DALI-2 DT6 für 12/24V einfarbig DALI-2 Push Dimm-Aktor DC

Article nr.: 80710-V2

TECHNICAL DATA

Input voltage	12-24
Output voltage	12-24
Material	Kunststoff
Temperature range	-20 - 50
Suitable light source	





**DALI-2 DT6 für 12/24V einfarbig DALI-2
Push Dimm-Aktor DC**
Article nr.: 80710-V2

TECHNICAL DRAWING

