rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

DALI-2 DT8 für 12-48V mehrfarbig DALI-2 Push Dimm-Aktor DC

Article nr.: 80718-V2

DALI-2-DT8 dimming actuator, 4-channel PWM output, integrated DALI master function · Thanks to the OLED display surface, a simple and quick installation is possible · All DT8 color types in one device: XY, Tc, RGBW, Push Dim compatible for single-colour lighting · Each device is controlled by a single DALI address · 16 scenes can be defined and recalled in advance on the device · 250 Hz - 30 kHz PWM frequency adjustable, gentle and fine DT8 color control · A dimming value and a manual color control can be made directly on · the device (stand-alone function) · Switch-on, dimming and fault behavior can be set directly on the device · Compatible with universal DALI masters that support DT8 commands · Complies with IEC 62386-209: 2011 · For indoor use, IP20 · Device type: DT8 · Protection class III, CE, RoHS, REACH · Temperature range: -20°C to + 50°C · Input voltage 12V DC - 48V DC · Output voltage: 12V DC - 48V DC (PWM) · Power: 4 x 60W (12V), 4x 120W (24V), 4x 144W (48V) · LxWxH in mm: 170 x 53.5 x 28.8

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094808185
Housing colour	Blau
Length	170.00 mm
Width	53.50 mm
Height	28.80 mm
Lamp	without
IP rating	20
Power	240-576 W
Current mA	20000 mA

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

DALI-2 DT8 für 12-48V mehrfarbig DALI-2 Push Dimm-Aktor DC

Article nr.: 80718-V2

TECHNICAL DATA

Input voltage	12-48
Output voltage	12-48
Material	Kunststoff
Temperature range	-20 - 50
Suitable light source	

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

DALI-2 DT8 für 12-48V mehrfarbig DALI-2 Push Dimm-Aktor DC

Article nr.: 80718-V2

TECHNICAL DRAWING