



DALI-2 DT6 für 350mA mehrfarbig DALI-2 Push Dimm-Aktor DC

Article nr.: 80730-V2

4 addresses - 4 channels, multicolour, constant current · LED dimming actuator for digital dimming with smooth control behavior · 4 addresses / independent channels 350 mA · Power per output: 4,2W (12V); 8,4W (24V) · DALI address manually adjustable and visible via digital display. · Automatically addressable by the master controller. · According to DALI standard protocol IEC62386 · suitable for standard DALI devices · Device Type: DT6 · for indoor use · IP20 · Dimming range: 0,1-100% · Push Dim · Protection class 3, CE, RoHS, REACH · Protection against short circuit and overheating

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094808307
Housing colour	Blau
Length	166.00 mm
Width	53.40 mm
Height	23.00 mm
Lamp	without
IP rating	20
Power	16,8-33,6 W
Current mA	350 mA





DALI-2 DT6 für 350mA mehrfarbig DALI-2 Push Dimm-Aktor DC

Article nr.: 80730-V2

TECHNICAL DATA

Input voltage	12-24
Output voltage	12-24
Material	Kunststoff
Temperature range	-20 - 50
Suitable light source	





DALI-2 DT6 für 350mA mehrfarbig DALI-2 Push Dimm-Aktor DC

Article nr.: 80730-V2

TECHNICAL DRAWING

