



DALI-2 DT6 für 350-700mA einfarbig

DALI-2 Push Dimm-Aktor AC 9W

Article nr.: 80799-V2

rutec DALI-2 push dimming actuator AC · 1 address - 1 channel single colour · DALI address automatically addressable from · DALI master controller (e.g. gateway) · According to DALI standard protocol OEC62386-101:2014, IEC62386-102:2014, IEC62386-207 Ed2 · Suitable for commercially available DALI devices · DALI-2 or Push dim function · for indoor use, IP20 · input voltage: 200-240 V AC · Output current adjustable via dip switch: 350mA, 450mA, 600mA, 700mA DC · power: 2-9 watts depending on output current (see manual) · device type: DT6 · protection class II, CE, RoHS · protection against short circuit, over voltage and over temperature · dimming range: 0.1-100% PWM+CCR, flicker free · temperature range: -20 to +45°C · outer diameter x height in mm: 57 x 24

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094808994
Housing colour	Blau
Height	24.00 mm
Outer diameter	57 mm
Lamp	without
IP rating	20
Power	2-9 W
Psb	0,3 W
Pno	>0,5 W





DALI-2 DT6 für 350-700mA einfarbig DALI-2 Push Dimm-Aktor AC 9W

Article nr.: 80799-V2

TECHNICAL DATA

Pnet	0,34 W
Current mA	350-700 mA
Input voltage	200-240
Output voltage	6-25
Material	Kunststoff
Temperature range	-20 - 45
Suitable light source	LED





DALI-2 DT6 für 350-700mA einfarbig
DALI-2 Push Dimm-Aktor AC 9W
Article nr.: 80799-V2

TECHNICAL DRAWING

