




VARDAflex Wallwasher 5 M-Rolle LD Flex.LEDStrip, 24V, Innen, 2700K 60° Article nr.: 81135

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · can be separated every 62.5 mm or 8 LEDs · number of LEDs: 640 · LED pitch: 7.81 mm · beam angle: 60° · CRI: >80 · luminous flux per meter: 747 lm · voltage: 24 V DC · power per meter: 9.2 W · lifespan L70: >= 36,000 h · energy efficiency class: F · LxWxH in mm: 5.000 x 8 x 3.5 · · Maximum length per connection: 5 metre. New connectors for greater length. · Delivery contents: 5 metre reel with 300 mm connecting cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094811352
Length	5000.00 mm
Width	8.00 mm
Height	3.50 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	3735.00 lm
Lightoutput per LED	5.84 lm
Lamp	including LED
IP rating	20






VARDAflex Wallwasher 5 M-Rolle LD

Flex.LEDStrip, 24V, Innen, 2700K 60°

Article nr.: 81135

TECHNICAL DATA

Power	46 W
Psb	0,00 W
Current mA	1916 mA
Voltage	24 V
Amount of LED	640
Temperature range	-20 - 45
LED per meter	128
Dimension of segments	62.50 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	36.000 h
Suitable light source	





VARDAflex Wallwasher 5 M-Rolle LD
Flex.LEDStrip, 24V, Innen, 2700K 60°
Article nr.: 81135

TECHNICAL DRAWING

