




VARDAflex Wallwasher-Single 5 M- Rolle LD LED Strip, 24V, IP54, 2700K Zul.0, 3M

Article nr.: 81147

flexible LED Strip with self adhesive backside, · for indoor use and wet rooms, IP54 · · can be separated every 17.86 mm or each LED · number of LEDs: 280 · LED pitch: 17.86 mm · beam angle: 35° · CRI: >90 · luminous flux per meter: 1,445 lm · voltage: 24V DC · power per meter: 14.4 W · lifetime L70B50: >40,000 h · energy efficiency class: F · LxWxH in mm: 5,000 x 10 x 6.2 · · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835711470
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	6.20 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	7225.00 lm
Lightoutput per LED	25.80 lm
Lamp	including LED






VARDAflex Wallwasher-Single 5 M- Rolle LD LED Strip, 24V, IP54, 2700K Zul.0, 3M

Article nr.: 81147

TECHNICAL DATA

IP rating	54
Power	72 W
Psb	0,00 W
Current mA	3000 mA
Voltage	24 V
Amount of LED	280
Temperature range	-20 - 45
LED per meter	56
Dimension of segments	17.86 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	40.000 h
Lifetime L90B10	10.000 h
Suitable light source	





VARDAflex Wallwasher-Single 5 M-
Rolle LD LED Strip, 24V, IP54, 2700K
Zul.0, 3M
Article nr.: 81147

TECHNICAL DRAWING

