




VARDAflex COB NEON TVQ - 5 M LD
Flex.LEDStrip, 24V, 15W/m, IP67, 2700K
 Article nr.: 81207

Flexible LED strip moulded in silicone · and self-adhesive backside, · for indoor and outdoor use, IP67 ·
 · cuttable every 29.41 mm or 7 LEDs · number of LEDs: 1190 · LED pitch: 4.2 mm · beam angle: 150° ·
 CRI: >80 · luminous flux per meter: 1530 lm · power per meter: 15 W · energy efficiency class: F ·
 lifespan L70B50: >= 54,000 h · LxWxH in mm: 5,000 x 10 x 6.7 · · Maximum length per connection: 5
 meter · New connection for greater length. · Caution: Do not operate strip without aluminium profile ·
 and adequate ventilation. · Scope of delivery: 5 meter roll with 300 mm connection cable, 1x end cap,
 1x feed cap

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835712071
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	6.70 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	7650.00 lm
Lightoutput per LED	6.43 lm
Lamp	including LED






VARDAflex COB NEON TVQ - 5 M LD
Flex.LEDStrip, 24V, 15W/m, IP67, 2700K
 Article nr.: 81207

TECHNICAL DATA

IP rating	67
Power	75 W
Psb	0,00 W
Current mA	3125 mA
Voltage	24 V
Amount of LED	1190
Material	Kunststoff
Temperature range	-20 - 45
LED per meter	238
Dimension of segments	29.41 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	54.000 h
Lifetime L90B10	25.000 h
Suitable light source	





VARDAflex COB NEON TVQ - 5 M LD
Flex.LEDStrip, 24V, 15W/m, IP67, 2700K
Article nr.: 81207

TECHNICAL DRAWING

