




VARDAflex COB - 5 Meter Rolle LD
Flex.LEDStrip, 24V, Innen, 3000K
 Article nr.: 81365

flexible LED Strip with self adhesive backside · for indoor use, IP20 · · can be separated every 45.45 mm or 24 LEDs · number of LEDs: 2640 · LED pitch: 1.89 mm · beam angle: 180° · CRI: >90 · luminous flux per meter: 1232 lm · voltage: 24 V DC · power per meter: 15 W · lifespan L70B50: >= 50,000 h · LxWxH in mm: 5,000 x 10 x 1.5 · · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter reel with 300 mm connecting cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094813653
Length	5000.00 mm
Width	10.00 mm
Height	1.50 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	6160.00 lm
Lightoutput per LED	2.33 lm
Lamp	including LED
IP rating	20






VARDAflex COB - 5 Meter Rolle LD
Flex.LEDStrip, 24V, Innen, 3000K
 Article nr.: 81365

TECHNICAL DATA

Power	75 W
Psb	0,00 W
Current mA	3125 mA
Voltage	24 V
Amount of LED	2640
Temperature range	-20 - 45
LED per meter	528
Dimension of segments	45.45 mm
CRI	≥ 90
Lifetime L70B50	50.000 h
Suitable light source	





VARDAflex COB - 5 Meter Rolle LD
Flex.LEDStrip, 24V, Innen, 3000K
Article nr.: 81365

TECHNICAL DRAWING

