rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

VARDAflex RGBW-2700K DMX-TEN 5m 24V LD Flexible LED Leiste, Innen RGBW-2700K

Article nr.: 81477

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · for direct control via DMX without separate controller · · can be seperated every 100 mm or 6 LEDs · number of LEDs: 300 · IC type: SM18511PS · LED pitch: 16.67 mm · beam angle: 120° · CRI: >80 · luminous flux per meter: 408 lm · voltage: 24V DC · power per meter: 14.9 W · lifetime L70B50: >= 60,000 h · LxWxH in mm: 5,000 x 12 x 1.5 · · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094814773
Length	5000.00 mm
Width	12.00 mm
Height	1.50 mm
LED colour	RGBW 2700K
Lightoutput per fixture	2040.00 lm
Lightoutput per LED	6.80 lm
Lamp	including LED
IP rating	20

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

VARDAflex RGBW-2700K DMX-TEN 5m 24V LD Flexible LED Leiste, Innen RGBW-2700K

Article nr.: 81477

TECHNICAL DATA

Power	74,5 W
Current mA	3104 mA
Voltage	24 V
Amount of LED	300
Temperature range	-20 - 65
LED per meter	60
Dimension of segments	100.00 mm
CRI	≥ 80
Lifetime L70B50	60.000 h
Suitable light source	

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE

picture follows

VARDAflex RGBW-2700K DMX-TEN 5m 24V LD Flexible LED Leiste, Innen RGBW-2700K

Article nr.: 81477

TECHNICAL DRAWING