



**VARDAflex Eco CRI90 - 5 M-Rolle  
Flex.LEDStrip, 24V, Innen, 6400K**  
Article nr.: 82414

flexible LED Strip with self adhesive backside, · for indoor use. · Can be separated every 100 mm or 7 LEDs · Number of LEDs: 350 · LED pitch: 14.28 mm · beam angle: 120° · CRI: >90 · Lumen per meter: 439 lm · Voltage: 24 V DC · Power per meter: 4,8 W · Lifetime L70B50: >= 36.000 h · energy efficiency class: G · LxWxH in mm: 5.000 x 8 x 2 · Easy installation with solderless connector (optional). · Maximum length per connection: 10 meter. New connectors for greater length. · Delivery contents: 5 meter reel

**TECHNICAL DATA**

Unit Code	pcs
BAR code	4012094824147
Housing colour	Weiss
Length	5000.00 mm
Width	8.00 mm
Height	2.00 mm
LED colour	ca. 6400K kaltweiß
Lightoutput per fixture	2195.00 lm
Lightoutput per LED	6.27 lm
Lamp	including LED





**VARDAflex Eco CRI90 - 5 M-Rolle**  
**Flex.LEDStrip, 24V, Innen, 6400K**  
 Article nr.: 82414

**TECHNICAL DATA**

IP rating	20
Power	24 W
Current mA	1000 mA
Voltage	24 V
Amount of LED	350
Temperature range	-20 - 45
LED per meter	70
Dimension of segments	100.00 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 90
Lifetime L70B50	36.000 h
Lifetime L90B10	13.000 h
Suitable light source	





**VARDAflex Eco CRI90 - 5 M-Rolle**  
**Flex.LEDStrip, 24V, Innen, 6400K**  
Article nr.: 82414

## TECHNICAL DRAWING

