




VARDAflex Nova Triple UWW 24W 5M- R. Flex.LEDStrip, 24V, Innen, 2700K CRI90

Article nr.: 82883

flexible LED Strip with self adhesive backside, · for indoor use. · can be separated every 20 mm or 6 LEDs · number of LEDs: 1500 · LED pitch: 3.33 mm · beam angle: 120° · CRI: >90 · lumen per meter: 1702 lm · voltage: 24V DC · power per meter: 24 W · lifetime L70: >= 36.000h · LxWxH in mm: 5.000 x 10 x 2 · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll · · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094828831
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	2.00 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	8510.00 lm
Lightoutput per LED	5.67 lm
Lamp	including LED






VARDAflex Nova Triple UWW 24W 5M- R. Flex.LEDStrip, 24V, Innen, 2700K CRI90

Article nr.: 82883

TECHNICAL DATA

IP rating	20
Power	120 W
Current mA	5000 mA
Voltage	24 V
Amount of LED	1500
Temperature range	-20 - 45
LED per meter	300
Dimension of segments	20.00 mm
CRI	≥ 90
Lifetime L70B50	36.000 h
Suitable light source	





**VARDAflex Nova Triple UWW 24W 5M-
R. Flex.LEDStrip, 24V, Innen, 2700K
CRI90**

Article nr.: 82883

TECHNICAL DRAWING

