



VARDAflex COB Plus Profi - 5 Meter


**Rolle Flex.LEDStrip, 24V, 14, 4W/m,
Innen, 4000K**

Article nr.: 84378

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · can be seperated every 45.45 mm or 24 LEDs · number of LEDs: 2640 · LED pitch: 1,89 mm · beam angle: 180° · CRI: >80 · luminous flux per metre: 1780 lm · voltage: 24 V DC · power per metre: 14.4 W · lifespan L70B50: >= 54,000 h · Energy efficiency class: F · LxWxH in mm: 5,000 x 10 x 2.3 · · Easy installation with solderless connector (optional). · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 metre roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094843780
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	2.30 mm
LED colour	ca. 4000K neutralweiß
Lightoutput per fixture	8900.00 lm
Lightoutput per LED	3.37 lm
Lamp	including LED






VARDAflex COB Plus Profi - 5 Meter
Rolle Flex.LEDStrip, 24V, 14, 4W/m,
Innen, 4000K
 Article nr.: 84378

TECHNICAL DATA

IP rating	20
Power	80 W
Psb	0,00 W
Current mA	3000 mA
Voltage	24 V
Amount of LED	2640
Temperature range	-20 - 45
LED per meter	528
Dimension of segments	45.45 mm
Energy efficiency class	EEK-Label_E
CRI	≥ 80
Lifetime L70B50	54.000 h
Lifetime L90B10	20.000 h
Suitable light source	





VARDAflex COB Plus Profi - 5 Meter
Rolle Flex.LEDStrip, 24V, 14, 4W/m,
Innen, 4000K
Article nr.: 84378

TECHNICAL DRAWING

