




## VARDAflex IP67 - 5 Meter Rolle Flex.LED Strip, 24V, IP67, 3000K

Article nr.: 86475

flexible LED strip extruded with polyurethan · and self-adhesive back, · for indoor and outdoor use, IP67 · cuttable every 100 mm / 6 LEDs · number of LEDs: 300 · LED spacing: 16.67 mm · beam angle: 120° · CRI: > 80 · Light flux per metre: 386 lm · load per metre: 4,8 W · Energy efficiency class: G · lifetime L70B50: >= 72,000 h · LxWxH in mm: 5,000 x 8 x 3 · Maximum length per connection: 10 metres. · New connection for greater length.

### TECHNICAL DATA

|                         |                    |
|-------------------------|--------------------|
| Unit Code               | pcs                |
| BAR code                | 4012094864754      |
| Housing colour          | Weiss              |
| Length                  | 5000.00 mm         |
| Width                   | 8.00 mm            |
| Height                  | 3.00 mm            |
| LED colour              | ca. 3000K warmweiß |
| Lightoutput per fixture | 1930.00 lm         |
| Lightoutput per LED     | 6.43 lm            |
| Lamp                    | including LED      |






## VARDAflex IP67 - 5 Meter Rolle Flex.LED Strip, 24V, IP67, 3000K

Article nr.: 86475

### TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| IP rating               | 67          |
| Power                   | 24 W        |
| Current mA              | 1000 mA     |
| Voltage                 | 24 V        |
| Amount of LED           | 300         |
| Material                | Kunststoff  |
| Temperature range       | -20 - 45    |
| LED per meter           | 60          |
| Dimension of segments   | 100.00 mm   |
| Energy efficiency class | EEK-Label_G |
| CRI                     | ≥ 80        |
| Lifetime L70B50         | 72.000 h    |
| Lifetime L90B10         | 35.000 h    |
| Suitable light source   |             |





**VARDAflex IP67 - 5 Meter Rolle**  
**Flex.LED Strip, 24V, IP67, 3000K**  
Article nr.: 86475

## TECHNICAL DRAWING

