



220-277VAC/186-250VDC, SK I, ENEC


LED Netzgerät 48V 150W IP67 - BLD-150-V048-NNS-RB0000

Article nr.: 87643

LED power supply, constant voltage · for indoor and outdoor use · built-in active power factor correction (active PFC) · protection class I, SELV, CE, REACH, RoHS, ENEC · protection against short circuit, overload and overtemperature · primary and secondary sided 1 input and output line · housing: aluminum · input voltage: 220-277V AC 50/60 Hz, 186-250V DC (emergency power-compatible) · power: 148.8 watt · output current: 3.1 A · output voltage: 48 Volt · LxWxH in mm: 188 x 68 x 33.5 · temperature range: -40 to +50°C · not dimmable on primary side · not suitable for no load application

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094876436
Housing colour	Aluminium
Length	188.00 mm
Width	68.00 mm
Height	33.50 mm
Lamp	without
IP rating	67
Power	148,8 W
Psb	0,00 W






220-277VAC/186-250VDC, SK I, ENEC
LED Netzgerät 48V 150W IP67 - BLD-
150-V048-NNS-RB0000
 Article nr.: 87643

TECHNICAL DATA

P _{no}	>0,5 W
Current mA	3100 mA
Input voltage	220-227
Output voltage	48
Material	Aluminium
Tolerance	3.00
Temperature range	-40 - 50
Suitable light source	LED





220-277VAC/186-250VDC, SK I, ENEC
LED Netzgerät 48V 150W IP67 - BLD-
150-V048-NNS-RB0000
 Article nr.: 87643

TECHNICAL DRAWING

