




**220V-240V 50/60Hz CRI80 Scheibe matt
LDSANYA RUND Starr WS6W IP44 3000K**
Article nr.: ALU44371WE

for indoor use, IP44 · · housing: diecast aluminium (plastic protection plate , diffuse) · housing colour: white · beam angle: 95° · power: 6 W · light colour: 3000 K · luminous flux: 495 lm · CRI: >80 · lifespan L70B50: >= 50.000 h · input voltage: 220-240 V AC · protection class I, MM · · installation depth: 49 mm · ceiling cut-out: 68 mm · outer diameter: 82 mm · energy efficiency class: F · not dimmable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094103716
Housing colour	Weiss
Height	39.00 mm
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	49.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	495.00 lm
Lamp	including LED






220V-240V 50/60Hz CRI80 Scheibe matt
LDSANYA RUND Starr WS6W IP44 3000K
Article nr.: ALU44371WE

TECHNICAL DATA

IP rating	44
Power	6 W
Psb	0,00 W
Current mA	26 mA
Input voltage	220-240
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	50.000 h
Suitable light source	





220V-240V 50/60Hz CRI80 Scheibe matt
LDSANYA RUND Starr WS6W IP44 3000K
Article nr.: ALU44371WE

TECHNICAL DRAWING

